

Serial No. 09/731,004  
September 22, 2003  
Reply to the Office Action dated February 12, 2003  
Page 2 of 6

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

Claim 1 (currently amended): An oscillator having a resonance circuit connected to an amplifying circuit,

wherein said amplifying circuit comprises an element having a frequency characteristic, thereby decreasing power amplification of said amplifying circuit by at least 3dB in a frequency band lower than about 0.5 times an oscillating frequency  $f_0$  or and in a frequency band higher than about  $2f_0$ , as compared to the power amplification of said amplifying circuit at the oscillating frequency  $f_0$ .

Claim 2 (original): An oscillator according to claim 1, wherein said element is constituted by a single unit selected from among an inductor, a capacitor, and a microstrip line; or by a combination of a plurality of units selected from among an inductor, a capacitor, a microstrip line, and a resistor.

Claim 3 (previously presented): An oscillator according to claim 1, wherein said element comprises a dielectric or piezoelectric material.

Claim 4 (currently amended): An oscillator having a resonance circuit connected to an amplifying circuit,

wherein said amplifying circuit comprising an element having a frequency characteristic, thereby decreasing power amplification of said amplifying circuit by at least 3dB in a frequency band lower than about 0.5 times an oscillating frequency  $f_0$  or and in a frequency band higher than about  $2f_0$ , as compared to the power amplification of said amplifying circuit at the oscillating frequency  $f_0$ , and

Serial No. 09/731,004  
September 22, 2003  
Reply to the Office Action dated February 12, 2003  
Page 3 of 6

wherein at least one of said resonance circuit and said amplifying circuit is comprised of an MMIC.

Claim 5 (original): An oscillator according to claim 4, further comprising a peripheral circuit, wherein at least one of said resonance circuit, said amplifying circuit, and said peripheral circuit is comprised of an MMIC.

Claim 6 (currently amended): An oscillator having a resonance circuit connected to an amplifying circuit,

wherein said amplifying circuit comprising an element having a frequency characteristic, thereby decreasing power amplification of said amplifying circuit by at least 3dB in a frequency band lower than about 0.5 times an oscillating frequency  $f_0$  or and in a frequency band higher than about  $2f_0$ , as compared to the power amplification of said amplifying circuit at the oscillating frequency  $f_0$ , and

wherein said resonance circuit and said amplifying circuit are integrally formed on a resin substrate or a ceramic substrate.

Claim 7 (original): An oscillator according to claim 6, further comprising a peripheral circuit, wherein said resonance circuit, said amplifying circuit, and said peripheral circuit are integrally formed on a resin substrate or a ceramic substrate.

Claim 8 (original): An oscillator according to claim 1, wherein said amplifying circuit comprises an NPN transistor and said element is provided between an emitter of said NPN transistor and ground.

Claim 9 (previously presented): An oscillator according to claim 1, wherein said resonance circuit is in a feedback circuit which is connected between an output and an input of said amplifying circuit.

Serial No. 09/731,004  
September 22, 2003  
Reply to the Office Action dated February 12, 2003  
Page 4 of 6

Claim 10 (previously presented): An oscillator according to claim 4, wherein said resonance circuit is in a feedback circuit which is connected between an output and an input of said amplifying circuit.

Claim 11 (previously presented): An oscillator according to claim 6, wherein said resonance circuit is in a feedback circuit which is connected between an output and an input of said amplifying circuit.

Claim 12 (previously presented): An oscillator according to claim 1, wherein said amplifying circuit comprises an amplifier and said element is connected to one of an input terminal, an output terminal, a power supply terminal and a ground terminal of said amplifier.

Claim 13 (previously presented): An oscillator according to claim 4, wherein said amplifying circuit comprises an amplifier and said element is connected to one of an input terminal, an output terminal, a power supply terminal and a ground terminal of said amplifier.

Claim 14 (previously presented): An oscillator according to claim 6, wherein said amplifying circuit comprises an amplifier and said element is connected to one of an input terminal, an output terminal, a power supply terminal and a ground terminal of said amplifier.